

Clarke®

Clarke®

Wap®

Wet and Dry Tank Vacuums




BRINGING YOU PERFORMANCE WITH VERSATILITY

WAP Technologies provides the right solution

The WAP line for janitorial cleaning contractors, the SQ-J series commands attention with its super quiet motor, quality construction and continuous run time requirements. Standard with high impact commercial tools for contractors within commercial and industrial environments. In addition to durable construction, these units also come with tough tool kits suited for the specialty applications that require a unique combination of critical filtration, dust collection, storage and discharge.



- SQ:** Super Quality guaranteed with a robust long-life design.
- J:** Janitorial with metal wand, plastic tools, squeegee and washable plastic-coated fleece filter.
- RDF:** Rental Duty Filter with stainless steel wands, metal tools and washable plastic-coated fleece filter.
- RDFD:** Rental Duty Filter/Drywall with exclusive filter-cleaning plunger system and washable cloth filter liner - perfect for fine drywall or concrete dust.
- AE:** Automatic Evacuation "flood sucker" handles 60 gallons of water per minute - that's one gallon per second.





SQ 10

SQ 15



SQ 17



Clarke®

Division of
ALTO®

Technical Data	SQ 10J	SQ 15J	SQ 15J RDF	SQ 15 RDF	SQ 17J	SQ 23
Air Flow: cfm (ccmm)	120 (3)		120 (3)	120 (3)	120 (3)	250 (7)
Water Lift: inches (cm)	90 (229)		90 (229)	90 (229)	90 (229)	90 (229)
Elec. Motor: hp	1.6		1.6	1.6	1.6	3.2 twin
Cord Length: ft (m)	23 (7)		23 (7)	23 (7)	23 (7)	24½ (7)
Tank Size: gal (liter)	poly 10 (38)		poly 15 (57)	poly 15 (57)	SS 17 (64)	poly 23 (87)
Filter: Element	fleece		fleece	fleece	fleece	paper
Auxiliary Outlet 110v	yes		yes	yes	yes	yes
Applications	wet/dry		wet/dry	wet/dry	wet/dry	wet/dry
Wheel Size inches (cm)	(2) 4" Fixed x (2) 2½" swivel		(4) 2½" swivel		(2) 8" Fixed x (2) 3" swivel w/lock	
Tool Kit Type	incl.		incl.	incl.	incl.	incl. HD
Dimensions inches (cm)			18 x 17 x 25h (46 x 43 x 64)		22 x 24 x 37h (56 x 61 x 94)	24 x 24 x 37h (61 x 61 x 94)
Net Weight: lbs. (kg)	24 (11)		33 (15)	33 (15)	64 (29)	66 (30)
Shipping Weight: lbs. (kg)	38 (17)		42 (19)	42 (19)	85 (36)	72 (33)
Noise Level: dba	58		58	58	58	69
Hose Length (m)	1½ x 10' (3)		1½ x 13' (4)	1½ x 13' (4)	1½ x 13' (4)	2" x 13' (4)



Technical Data	SQ Drum Top RDFD	SQ 17 AE	SQ 10 HEPA	SQ 15 HEPA	SQ 17 HEPA
Air Flow: cfm (ccmm)	120 (3)	120 (3)	120 (3)	120 (3)	120 (3)
Water Lift: inches (cm)	90 (229)	90 (229)	90 (229)	90 (229)	90 (229)
Elec. Motor: hp	1.6	1.6 / 2 hp	1.6	1.6	1.6
Cord Length: ft (m)	23 (7)	23 (7)	23 (7)	23 (7)	23 (7)
Tank Size gal (liter)	drum	17 (64)	10 (38)	15 (57)	17 (64)
Filter: Element	cloth over fleece	metal filter strainer	Hepa filter liner	Hepa filter liner	Hepa filter liner
Auxiliary Outlet 110V	yes	no	yes	yes	yes
Applications	wet/dry	wet	wet/dry	wet/dry	wet/dry
Wheel Size inches	—	(2) 8" fixed x (2) 3" swivel w/lock	(2) 4" fixed x x (2) 2½" swivel	(4) 2½" swivel	(2) 8" fixed x (2) 3" swivel w/lock
Tool Kit type	incl.		No	incl.	
Dimensions inches (cm)	19h x 24 dia. (48 x 61)	22 x 24 x 37 (56 x 61 x 94)	18 x 17 x 20h (46 x 43 x 51)	18 x 17 x 25h (46 x 43 x 64)	22 x 24 x 37h (56 x 61 x 94)
Net Weight: lbs. (kg)	22 (10)	68 (31)	24 (11)	24 (11)	65 (29)
Shipping Weight: lbs. (kg)	47 (21)	85 (39)	38 (17)	42 (19)	76 (34)
Noise Level: dba	58	68	58	58	58
Hose Length (m)	1½ x 13' (4)	1½ x 13' (4)	1½ x 10' (3)	1½ x 13' (4)	1½ x 13' (4)

Clarke®

DISTRIBUTED BY:

2100 Hwy. 265
Springdale, AR 72764

Customer Service: 1-800-253-0367
Fax Orders to: 1-800-825-2753
Technical Service: 1-800-356-7274

©2003 ALTO U.S. Inc., All Rights Reserved. Specifications subject to change without notice. P/N ?????A